



Standardized Data Collection System for Drug and Alcohol Treatment Facilities.

Regional Drug Treatment Data 2015-2016

Tiffany Barry

Project Assistant, Inter-American Observatory on Drugs (OID)


September, 2017

Port of Spain, Trinidad and Tobago


From Pilot to Present



2012-2016








REGIONAL DEMOGRAPHICS




TREATMENT CASES BY COUNTRY 2015- 2016



DEMOGRAPHICS – SEX




SEX OF PERSON SEEKING TREATMENT BY YEAR




DEMOGRAPHICS – SEX



FEMALE IN TREATMENT BY COUNTRY 2015 (N=173/1619)




FEMALE IN TREATMENT BY COUNTRY 2016 (N=152/1526)



DEMOGRAPHICS- Age Range





AGE OF PERSONS SEEKING TREATMENT BY YEAR



DEMOGRAPHICS- Age Range








REGIONAL DEMOGRAPHICS- Ethnicity



ETHNICITY OF PERSONS SEEKING TREATMENT BY YEAR



REGIONAL

DEMOGRAPHICS- Ethnicity




| ETHNICITY | ANTIGUA AND BARBUDA | BAHAMAS | BARBADO S | BELIZE | GRENADA | GUYANA | НАЇТІ | JAMAICA | SAINT LUCIA | SURINAME | TRINIDAD AND TOBAGO |
|----------------------|---------------------|---------|--------------|--------|---------|--------|--------|---------|----------------|----------|---------------------------|
| AFRICAN ORIGIN/BLACK | 73.68% | 93.43% | 92.50% | | 87.00% | 38.16% | 54.93% | 86.15% | 98.18% | 38.10% | 32.44% |
| CREOLE | | 0.73% | | | 1.00% | | | | | | 0.22% |
| EAST INDIAN | 5.26% | | 0.83% | | | 40.79% | | 2.31% | 1.82% | 19.91% | 38.00% |
| GARIFUNA | | | | 5.88% | | | | | | | |
| HISPANIC | | | | 5.88% | | | | | | | |
| INDIGENOUS PEOPLE | | | | | 2.00% | 6.58% | | | | 4.76% | 0.22% |
| JAVANESE | | | | | | | | | | 6.93% | |
| MAROON | | | | | | | | 2.31% | | 6.06% | |
| MESTIZO/SPANISH | 5.26% | | | 58.82% | | | | | | | 0.44% |
| MIXED | 5.26% | 2.19% | 3.33% | 17.65% | 10.00% | 10.53% | | 7.69% | | 23.81% | 27.56% |
| PORTUGUESE | | 0.73% | 1.25% | 5.88% | | | | | | | 0.44% |
| SYRIAN/LEBANESE/ARAB | | | | | | | 45.07% | | | | |
| WHITE | | | | | | 2.63% | | | | | 0.22% |
| OTHER | | | | | | | | | | | 0.22% |

Regional -living Arrangements




PLACE OF RESIDENCE OF PERSONS SEEKING TREATMENT BY YEAR



DEMOGRAPHICS-Level of Education




LEVEL OF EDUCATION OF PERSONS SEEKING TREATMENT BY YEAR



DEMOGRAPHICS-Level of Education by Country






Demographics – Employment Status



EMPLOYMENT STATUS OF PERSONS SEEKING TREATMENT BY YEAR




COUNTRY BREAKDOWN

DEMOGRAPHICS – Employment Status








Treatment History — Source of Referral








Treatment History — Source of Referral



SOURCE OF REFERRAL OF PERSONS IN TREATMENY BY COUNTRY 2016



- ENCOURAGEMENT FROM FRIEND(S) OR FAMILY MEMBER(S)
- REFERRAL FROM DRUG TREATMENT COURT
- REFERRAL FROM PRISON OR JUVENILE DETENTION CENTER
- REFERRAL FROM THE SCHOOL SYSTEM

- REFERRAL FROM A GENERAL HEALTH CENTER
- REFERRAL FROM EMPLOYER
- REFERRAL FROM SOCIAL SERVICES OR OTHER
- VOLUNTARILY


- REFERRAL FROM ANOTHER DRUG TREATMENT PROGRAM
- REFERRAL FROM NATIONAL DRUG COUNCILS
- REFERRAL FROM THE JUSTICE SYSTEM OR POLICE DEPARTMENT
- NO RESPONSE



TREATMENT


Main Substance Impacting Treatment





Main Substance Impacting Treatment






Treatment History




LIFETIME TREATMENT HISTORY BY YEAR



TYPE OF TREATMENT PREVIOUSLY RECEIVED




TYPE OF TREATMENT PREVIOUSLY ENROLLED BY YEAR



Treatment History- Was Treatment Completed?




COMPLETION STATUS OF TREATMENT PROGRAM BY YEAR



Treatment History- Was Treatment Completed By Country?








CRIMINAL JUSTICE INTERACTION AND MENTAL HEALTH

DIAGNOSED PSYCHIATRIC DISORDER




DIAGNOSED PSYCHIATRIC CONDITION BY YEAR



ARREST HISTORY —LIFETIME




LIFETIME ARREST HISTORY BY YEAR



PLACEMENT AFTER ASSESSMENT



PLACEMENT AFTER ASSESSMENT



Conclusions



The main substance impacting treatment across the region is marijuana, alcohol and crack. Treatment for Heroin use was only reported in 2 countries on a very small scale: Suriname and Haiti. Use was also reported in Barbados, Belize and Guyana in 2015.

Of the 1526 persons seeking treatment across the region, 10% were female.

In 2016, most persons who were seeking treatment for problematic marijuana use, indicated that they started using that substance between 10-19 years old (77%) with 5% stating that they started between 01-09 years old. This is important information for the planning and implementing of prevention programs.

In 2016, 50% of persons seeking treatment indicated that they were registered into a treatment program at least once in their lifetime, compared to 48% in 2015.

Almost 50% of the treatment population were arrested at least once in their lifetime across the region

About 20% indicated that they were diagnosed with a psychiatric disorder.



Thank you for your attention

tbarry@oas.org

http://www.cicad.oas.org