

Jamaica National Household Survey (2016)

Uki Atkinson
April 5, 2018
REGIONAL SEMINAR FOR NATIONAL DRUG
OBSERVATORIES IN THE CARIBBEAN
Ramada Georgetown Princess Hotel
Georgetown, Guyana

Background to 2016 NHS

Conducted among 4,623 Jamaicans (12 – 65years)

❖ Determined:

- Prevalence and patterns of substance use including harmful use of alcohol, risk for ganja addiction (AUDIT & CAST)
- Risk perception
- Access and exposure
- **❖**Treatment
- Prevention
- Awareness of Amendments to DDA

Representative at the parish & national levels – 93% response rate

Implementation 4 Phases

Planning / Training / Pilot / Public sensitization

Data Collection & Debriefing – 12 Weeks

Dissemination – High Level Stakeholder Meeting, Conferences, Media


Knowledge translation – Evidence to Action/Policy

PSA & Articles for Sensitization


Jamaica Information Service: 21/4/16




Jamaica Information Service: 20/4/16




Lifetime Prevalence



Current Prevalence



Under-Age Current Prevalence (12-17 year-olds)



Average Age(yrs) of First Use




More on Alcohol

- 16.3% of 12-65 year old Jamaicans were classified as harmful alcohol drinkers
- 15.1% were binge drinkers
- Binge drinking and harmful alcohol use, not identified in 12-14 year-olds
- 15-17 year olds Binge (5.6%) and Harmful alcohol use (6.1%)

Recent Binge Drinking

Males: 5 or more drinks in a single occasion/outing within the past two weeks Females: 4 or more drinks in a single occasion/outing within the past two weeks





- 1 in 5 reported binge drinking
- Of all age groups, occurrence highest in the 35-44 year-olds – 1 in 3 reported binge drinking




FEMALES

- 1 in 10 reported binge drinking
- Of all age groups,
 occurrence highest in the
 25-34 year-olds 1 in 7
 reported binge drinking

18-65 year-olds: Driving Under the Influence




Perception of Risk




Awareness of Changes to Dangerous Drugs Act


Percentage of 12-65 year-olds aware of Changes to the Dangerous Drugs Act




Opinions on Marijuana Policy




Trends in Current Ganja Use (2001 vs 2016)




Trends in Current Cigarette Use (2001 vs 2016)




Parish Prevalence (%): Current Alcohol Use




Parish Prevalence (%): Current Ganja Use




Parish Prevalence (%): Current Cigarette Use



Country Comparisons –Alcohol & Tobacco (Past Month)



Country Comparisons – Ganja (Past Year)



Implications

☐ Significant gender disparities in substance use ☐ Socio-demographic differences — educational level, urban rural and religion ☐ Significant limited knowledge of risks associated with alternative forms of tobacco use (e-cigrettes/hookshh pipes) – public education ☐ High level of access to ganja Variations in risk of ganja addiction and harmful alcohol use across parishes ☐ Baseline data for monitoring trends — post decriminalization

Research to Action

- √ High-level dissemination
- ✓ Post survey media engagement
- √ Widespread local dissemination island-wide pop-ups, conferences/meetings, academic conferences and courses
- ✓ Use of data to inform policy and action MOH/MNS
- ✓ GIS Mapping of drug use hotspots

Dissemination - November 2016

- Participants from Health, Education, Law Enforcement, Academia, Media
- Presentations on general findings, trends, treatment data, implications of findings
- **❖** Small group discussions
 - **Policies:** Does your agency/sector have clearly stated policies on how to deal with or respond to drugs? Please provide a summary/example of these policies and what they address. Are these policies known and understood by all relevant persons?
 - Survey Results: How do the results of the household study and the treatment data affect how you carry out your mandate as an institution or as a sector?
 - Recommendations: What are your recommendations for the NCDA and your own sector in relation to drug prevention, drug research, drug treatment, drug policy development?

Dissemination

Opening Segment







Dissemination

Group Discussion - Treatment

Group Discussion - Education






Post Survey Articles

Jamaica Gleaner: 17/1/17


NCDA Urges Public to take... × Jamaica gets Funding for D... × 65 High drivers - gan ticle/lead-stories/20170117/high-drivers-ganja-smoking-increases-among-motorists **High Drivers - Ganja Smoking** More Lead Sto **Increases Among Motorists** Email this s G y f Print this page Share this Story: G+1 0 Recommend Share (93 E-mail the edito Published: Tuesday | January 17, 2017 | 12:00 AM | Jodi-Ann Gilpin Cheap Japane Used Cars Buy low price use cars direct from Japan view que at More Stories Norman Grindley

Jamaica Gleaner: 17/1/17



Post Survey Articles

Jamaica Information Service: 23/11/2016 Jamaica Observer: 16/11/2016



on - Outlo... × G Drivers Jamaica ganja - Go... × O Drug use remains significa... X icaobserver.com/news/Drug-use-remains-significantly-higher-in-males News Drug use remains significantly higher in males Wednesday, November 16, 2016 | 6:11 PM Like Share Mon colla E 10 Region next m ending 2930 Research Analyst at the National Council on Drug Abuse (NCDA). Ula Ationson, provides details about the entity's drug-prevalence survey during a JrS Think Tank today, (Photo: (UIS) - Results from a drug-prevalence survey conducted

Thank you