

INTER-AMERICAN DRUG ABUSE CONTROL COMMISSION CICAD

Secretariat for Multidimensional Security

SEVENTY-FOURTH REGULAR SESSION December 11-14, 2023 Washington, D.C. OEA/Ser.L/XIV.2. CICAD/doc.2834/23 11 December 2023 Original: Spanish

"Emerging Synthetic Drugs in the Hemisphere" Mexico's Situation

"Emerging Synthetic Drugs in the Hemisphere"

Mexico's Situation

Nadia Robles

Director of the Mexican Mental Health and Addictions Observatory

National Commission on Mental Health and Addictions







Mexican Mental Health and Addictions Observatory



A

1 de cada 4


personas que la

usa, ha intentado

dejar de

consumir

EL REVOLUCIONARIO DEL PUEBLO



American Observatory on Drugs

Fentanyl in Mexico




EVOLUCIONARIO DEL PUEBLI



2017

Cases detected on the northern border.



OBSERVATORIO MEXICANO

DE SALUD MENTAL Y ADICCIONES

Six hundred interviews in treatment centers Only 6 people in Baja California and Sonora. reported having used 89.7% are men and 10.2% are women fentanyl. 68% with primary education (M30) 50% of people between 18 and 39 years old 120 96.5 100 91.3 83.5 Country 75.5 80 of origin 65.2 58.2 58.1 54.8 More potent Heroin (possible combination with Fentanyl) Inhalables Ansioliticos china white Cristal Croct opioides anabis cocaina 2023 Francisco VILA


Source: Cuqueando la Chiva, Fleiz Et al.

Fentanyl in Mexico

DE SALUD MENTAL Y ADICCIONES







Fentanyl in Mexico




Yucatán

AÑO DE

EVOLUCIONARIO DEL PUEBI

Q. Roo




Fentanyl use 2022-2023





The main entities in which Fentanyl was present in 2022 were Baja California (145 cases), Sonora (129 cases), Sinaloa (18 cases), and Chihuahua (14 cases). Demand has grown in recent years but remains focused on certain localities.



Sentinel surveillance in care centers 2023

98 cases of use (not necessarily the cause of the attention).

Type of use


Experimental: 23%. Habitual: 38%. Impact drug: 33%.

Names Fentanyl, M30, China white

Main combinations Crystal

methamphetamine, heroin

People know that the substance they are using is Fentanyl.



Main presentations

Crystals, tablets, powder

Main forms of use

Smoked, injected, ingested



Emergencies and deaths associated with the use of Fentanyl Baja California For

Implementation of an emerging use code to determine morbidity and mortality associated with the use of fentanyl.

The codes are mandatory for use in the generation of national statistics.

DE SALUD MENTAL Y ADICCIONES

2023

U94. U94. U94. Fentanyl intoxication U94.0 Accidental Fentanyl intoxication U94.1 Intentional self-inflicted Fentanyl intoxication U94.2 Fentanyl intoxication as an assault by a

U94.2 Fentanyl intoxication as an assault by a third party

U94.3 Fentanyl intoxication as an assault by a third party


U94.3 Fentanyl intoxication as an adverse reaction

U94.9 Fentanyl intoxication of undetermined intent





Baja California Forensic Medical Service has been analyzing biological samples from bodies since 2022 to detect substances.



In 71% (249) of the presumptive cases of Fentanyl* presence, the deaths were related to cardiorespiratory system impairment (IRA and EAP).

The use of the emergent code will provide a reliable registry.



Source: Forensic Medical Service of Baja California. * substances detected by test strips.

Some reflections



- Monitoring of Fentanyl use is done consistently, as in the case of methamphetamine (since 2012).
- Having objective, reliable sources of information and a National Observatory on Drugs is necessary.
- Mexico is at a decisive moment for the implementation of timely policies.
- Local harm reduction measures are essential for people who use these substances.





Thank you very much for your attention!

